

Non-formulary

Formulary Agents

ACEI's

Moexipril (Univasc®)  
Benazepril (Lotensin®)  
Quinapril (Accupril®)

Enalapril (Vasotec®)  
Enalapril  
Enalapril

Trandolapril (Mavik®)  
(Prinivil, Zestril®)  
Fosinopril (Monopril®)  
Perindopril (Aceon®)

Lisinopril  
  
Lisinopril  
Lisinopril

ARB's

Candesartan (Atacand®)  
(Cozaar®)  
Eprosartan (Teveten®)  
Irbesartan (Avapro®)  
Telmisartan (Micardis®)  
Olmesartan

Losartan  
  
Losartan  
Losartan  
Losartan  
Losartan

Statins

Pravachol (Pravastatin®)  
(Zocor®)  
Lovastatin (Mevacor®)  
Atrovastatin (Lipitor®)

Simvastatin  
  
Simvastatin  
Simvastatin

Stool softeners / laxatives

Pericolace®  
dulcolax

Docusate, bisacodyl,

Extended Release\*: Take the extended release dose and administer ½ dose twice daily

Glucotrol XL®(glipizide)  
10 mg)

2.5mg, 5mg, 10mg

Glucophage XR®(metformin)  
1000 mg)

500 mg

Detrol XL® (oxybutynin)  
mg)

5,10,15 mg

Glucotrol (5 and

Metformin (500,850,

Oxybutynin (5

Combination Agents\*

Lotrel® (amlodipine & benazepril)

Amlodipine + enalapril

Glucovance® (glyburide & metformin)  
+ metformin

Glyburide

- \*A significant number of combination and extended release agents are non-formulary within the DMC. The items listed are examples that are frequently ordered and may result in delay of therapy.
- If a patients is not NPO and an H<sub>2</sub> - antagonist is required, ranitidine (Zantac®) should be ordered in the oral formulation.