



3. **Would you get other testing? How would you treat this woman?**
  
4. **What is the risk of bleeding on anticoagulation? What are guidelines for oral anticoagulation treatment duration? How long should this woman be treated with warfarin?**

**CASE ONE CONTINUED:**

**Towards the end of her treatment our patient tells you that she is hesitant to stop taking an anticoagulant. She now remembers that one of her cousins “died from a blood clot.” She is concerned about having a recurrent thrombosis and knows that “there are other tests” that can determine if she is at risk.**

5. **What do you tell her?**

**Primary References:**

1. Fancher TL et al. Combined use of rapid D-dimer testing and estimation of clinical probability in the diagnosis of deep vein thrombosis: systematic review. *British Medical Journal*. 2004; 329(7470): 821-829.
2. Hirsh J et al. How we diagnose and treat deep vein thrombosis. *Blood*. 2002; 99(9):3102-3110.

**Additional References:**

1. Prandoni et al. Thrombosis as harbinger of cancer. *Curr Opin Hematol*. 2006. 13:362–365.
2. Palareti G et al. Predicting the risk of recurrence of venous thromboembolism. 2004. *Curr Opin Hematol*. 11:192–197.
3. Goldhaber SZ. Prevention of recurrent venous thromboembolism. *Circulation*. 2004;110[suppl IV]:IV-20–IV-24.

4. Scarvelis et al. Diagnosis and treatment of deep vein thrombosis. *CMAJ*. 2006;175(9):1087-1092.
5. Blann AD. Venous thromboembolism. *British Medical Journal*. 2006;332:215–219.
6. Pruemmer J. Prevalence, causes, and impact of cancer-associated thrombosis. *Am J Health-Syst Pharm*. 2005; 62(Suppl 5):S4-6.
7. Simioni P. Who should be tested for thrombophilia? *Curr Opin Hematol*. 2006 13:337–343.
8. Motsch J. Update in the prevention and treatment of deep vein thrombosis and pulmonary embolism. *Current Opinion in Anaesthesiology*. 2006, 19:52–58.
9. Falanga A. Deep vein thrombosis in cancer: the scale of the problem and approaches to management. *Annals of Oncology*. 2005;16: 696–701.
10. Goodacre S; Sutton AJ; Sampson FC. Meta-analysis: The value of clinical assessment in the diagnosis of deep venous thrombosis. *Annals of Internal Medicine*. 2005; 143:129-139.
11. Oudega R; Hoes AW; Moons KG. The Wells rule does not adequately rule out deep venous thrombosis in primary care patients. *Annals of Internal Medicine*. 2005; 143:100-107.